

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
 Product name : **WSD Cherry**  
 Product code : 9051

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Water Soluble Deodorant

**1.3. Details of the supplier of the safety data sheet**

Chemco Products Company  
 19402 Susana Rd.  
 Rancho Dominguez, CA 90221 - USA  
 T 800-266-2116 - F 310-631-7496  
<http://www.flo-kem.com>

**1.4. Emergency telephone number**

Emergency number : CHEMTEL: 800-255-3924

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**GHS US classification**

Flam. Liq. 4	H227
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Skin Sens. 1	H317

Full text of H- and EUH-statements: see section 16

**2.2. Label elements**

**GHS US labeling**

Hazard pictograms :



GHS07

Signal word :

Warning

Hazard statements :

Combustible liquid.  
 Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye irritation.

Precautionary statements :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Avoid breathing mist, vapors.  
 Wash hands and forearms thoroughly after handling.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear eye protection, face protection, protective clothing, protective gloves.  
 If on skin: Wash with plenty of water.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 In case of fire: Use alcohol resistant foam, BC-powder, carbon dioxide (CO2), sand to extinguish.  
 Store in a well-ventilated place. Keep cool.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

# WSD Cherry

## Safety Data Sheet

### 2.3. Hazard not otherwise classified (HNOC)

No additional information available.

### 2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H- and EUH-statements: see section 16

### 3.2. Mixture

Name	Product identifier	%	GHS US classification
2-propanol	(CAS-No.) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy-	(CAS-No.) 34398-01-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Reactivity	: Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Although product has a flash point <200° F, it is an aqueous solution and does not sustain combustion.

# WSD Cherry

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.  
Protective gloves.  
Protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If reacting: dilute combustible/toxic gases/vapors.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Wash down leftovers with plenty of water.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use personal protective equipment as required.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge. Comply with applicable regulations.

Incompatible products : Oxidizing agent. Strong acids.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	200 ppm
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	1225 mg/m <sup>3</sup>
OSHA	OSHA PEL (STEL) (ppm)	500 ppm

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

# WSD Cherry

## Safety Data Sheet

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Clear pink
Odor	: Cherry
Odor threshold	: No data available
pH	: 6.1 - 7.1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 200 °F
Flash point	: > 140 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 0.985 - 1.005
Solubility	: Water: Complete
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

#### 9.2. Other information

VOC content : < 40 g/l CARB VOC

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.

#### 10.2. Chemical stability

Stable under recommended conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Extremely high or low temperatures. Open flame. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Oxidizers.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 Inhalation - Rat	73 mg/l/4h (Rat)
ATE US (oral)	5045 mg/kg body weight
ATE US (dermal)	12870 mg/kg body weight
ATE US (vapors)	73 mg/l/4h

# WSD Cherry

## Safety Data Sheet

2-propanol (67-63-0)	
ATE US (dust, mist)	73 mg/l/4h

poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	500 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation. pH: 6.1 - 7.1
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6.1 - 7.1
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified

2-propanol (67-63-0)	
IARC group	3 - Not classifiable

Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

## SECTION 12: Ecological information

### 12.1. Toxicity

2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)

poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)	
LC50 fish 1	≈ 7.5 (5 - 10) mg/l
EC50 Daphnia 1	≈ 7.5 (5 - 10) mg/l
ErC50 (algae)	≈ 50 (1 - 100) mg/l

### 12.2. Persistence and degradability

2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.49 % ThOD

### 12.3. Bioaccumulative potential

2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# WSD Cherry

## Safety Data Sheet

### 12.4. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Additional information : Handle empty containers with care because residual vapors are flammable.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. UN Number

UN-No.(DOT) : Not Regulated  
Other information : Although product has a flash point <200° F, it is an aqueous solution and does not sustain combustion.

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

methyl cinnamate	CAS-No. 103-26-4	< 0.1%
------------------	------------------	--------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 2-propanol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Listed on the Canadian DSL (Domestic Substances List).

SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard
-------------------------------------	---

#### poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
SARA Section 311/312 Hazard Classes : Immediate (acute) health hazard

### 15.2. International regulations

#### CANADA

#### 2-propanol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List).

#### EU-Regulations

No additional information available.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

### 15.2.2. National regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

# WSD Cherry

## Safety Data Sheet

### SECTION 16: Other information

Abbreviations Legend:

H225	Highly flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life

#### Disclaimer

*This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.*

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (310) 632-7124

Revision date: 08/03/2021

Supersedes: 11/06/2014

Version: 1.1