# Safety Data Sheet



### **SECTION 1: Product and company identification**

Product name : Citra-Fresh – 70% Deodorizer

Use of the substance/mixture : Odorant Product code : 0377

Company : Total Solutions P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtec: (800) 424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Flam. Liq. 3 H226 Skin Irrit. 2 H315 Skin Sens. 1 H317 STOT SE 3 H336 Asp. Tox. 1 H304

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US labeling**

Hazard pictograms (GHS-US)





GHS02

GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction May cause drowsiness or dizziness

Precautionary statements (GHS-US) : Keep away from heat, open flames, sparks. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment Use explosion-proof electrical, lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Avoid breathing vapors, mist Wash thoroughly after handling

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves If swallowed: Immediately call a doctor, a POISON CENTER

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

Call a doctor, a POISON CENTER if you feel unwell Specific treatment (see First aid measures on this label)

Do NOT induce vomiting

If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish

Keep container tightly closed

Store in a well-ventilated place. Keep cool

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

 Date of issue: 10/1/2015
 Revision date: 03/11/2015
 Version: 1.0
 P GHS SDS
 Page 1 of 6

# Safety Data Sheet



#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/information on ingredients**

# 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
(+)-limonene	(CAS No) 5989-27-5	40-70	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
HEAVY ALKYLAAT, SHELL	(CAS No) 64741-65-7	15-40	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap

and water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : If you feel unwell, seek medical advice.

Symptoms/injuries after inhalation : Harmful if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression.

Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin

dryness or cracking.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Risk of aspiration pneumonia.

Chronic symptoms : Red skin. Swelling of the skin. Skin rash/inflammation. Itching.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Explosion hazard : may be ignited by sparks.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely

due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of

environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. No naked flames or sparks.

Date of issue: 10/1/2015 Revision date: 03/11/2015 Version: 1.0 P GHS SDS Page 2 of 6

# Safety Data Sheet



6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Take

up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a

soap solution.

6.4. Reference to other sections

No additional information available

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing

immediately.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be

followed.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away

from: sparks, open flames, excessive heat.

Incompatible products : Oxidizing agent.
Incompatible materials : Sources of ignition.

Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents.

Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place.

Special rules on packaging : Keep only in original container, meet the legal requirements.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Gloves. Safety glasses. Protective goggles. Protective clothing.







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Odor : Citrus scent

Odor threshold : No data available pH : No data available

Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : > 120 °F Closed Cup

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available

Date of issue: 10/1/2015 Revision date: 03/11/2015 Version: 1.0 P GHS SDS Page 3 of 6

# Safety Data Sheet



Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Vapor pressure : No data available
Relative density : No data available
Relative vapor density at 20 °C : No data available
Specific gravity / density : 0.83 g/ml

Solubility : Insoluble in water.
Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

Viscosity, kinematic : < 20 cSt

Viscosity, dynamic : No data available

VOC content : > 90 %

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

(+)-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
ATE CLP (oral)	4400.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

(	(+	)-I	ımo	one	ne	(59	89-	27	-5)	

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : Harmful if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.

Date of issue: 10/1/2015 Revision date: 03/11/2015 Version: 1.0 P GHS SDS Page 4 of 6

# Safety Data Sheet



Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin

dryness or cracking.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Risk of aspiration pneumonia.

Chronic symptoms : Red skin. Swelling of the skin. Skin rash/inflammation. Itching.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

(+)-limonene (5989-27-5)	
LC50 fish 1	720 μg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 1	0.36 mg/l (48 h; Daphnia magna; GLP)
LC50 fish 2	702 μg/l (96 h; Pimephales promelas)
Threshold limit algae 1	150 mg/l (72 h; Desmodesmus subspicatus; GLP)
Threshold limit algae 2	2.62 mg/l (72 h; Desmodesmus subspicatus)

#### 12.2. Persistence and degradability

0 2	
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O□/g substance
HEAVY ALKYLAAT, SHELL (64741-65-7)	
Persistence and degradability No test data available. No (test)data on mobility of the substance available.	

#### 12.3. Bioaccumulative potential

(+)-limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces; Fresh weight)	
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).	
HEAVY ALKYLAAT, SHELL (64741-65-7)		
Bioaccumulative potential	No test data available.	

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

Transport document description : UN1993 Flammable liquids, n.o.s. (Aliphatic Hydrocarbons, Terpene Hydrocarbons), 3, III

UN-No.(DOT) : UN1993

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : B1,B52,IB3,T4,TP1,TP29

DOT Packaging Exceptions (49 CFR

173.xxx)

: 150

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: 60 L

DOT Quantity Limitations Cargo aircraft

: 220 L

only (49 CFR 175.75)

Date of issue: 10/1/2015 Revision date: 03/11/2015 Version: 1.0 P GHS SDS Page 5 of 6

# Safety Data Sheet

TOTAL SOLUTIONS\*\*

DOT Vessel Stowage Location : A

**Additional information** 

Other information : When transported by ground in non-bulk containers, this product utilizes the exception found under

49 CFR 173.150.

**ADR** 

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

#### **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H-phrases:


ski di H-piliases.	
Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H336	May cause drowsiness or dizziness

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 10/1/2015 Revision date: 03/11/2015 Version: 1.0 P GHS SDS Page 6 of 6