SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT:	Instant Hand Sanitizer
ITEM:	52210, 52250, 52202
RECOMMENDED USE:	Skin-Care

DATE ISSUED :	7/10/2020
SDS REF. No :	522

MANUFACTURER:

Chemcor Chemical Corp. 13770 Benson Avenue Chino, CA 91710

24 HR. EMERGENCY TELEPHONE NUMBER:

NON-EMERGENCY TELEPHONE NUMBER:

(909) 590-7234

INFOTRAC (US Trasportation): (800) 535-5053

2. HAZARDS INGREDIENTS & IDENTIFICATION

GHS CLASSIFICATION: Flammable Eve irritation

Category 3 Category 2B

GHS LABEL ELEMENT

Hazard Pictograms



SIGNAL WORD: Warning HAZARD STATEMENTS: H226 Flammable liquid and vapor, H319 Causes serious eye irritation. PREVENTION:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection RESPONSE:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known.

3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS Number	Wt%	OSHA PEL	ACGIH TLV
ethanol	64-17-5	70	400ppm	400ppm

4. HEALTH HAZARD DATA & FIRST AID MEASURES

GENERAL: If a known exposure occurs or is suspected and is determined to be a health threat or if any symptoms persist, contact a physician, the nearest hospital, or the nearest Poison Control Center. Inform the person contacted of the type and extent of the exposure, describe the victim's symptoms and follow the advice given.

EYES : If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention. Continue the flushing for an additional 15 minutes if the physician is not immediately available. SKIN : Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persists, seek medical attention. Launder clothing before reuse. INGESTION: If swallowed, seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended

INHALATION : If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen. NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam

UNSUITABLE EXTENGUISHING MEDIA: High water volume jet

SPECIFIC HAZARDS DURING FIRE FIGHTING: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health

HAZARDOUS COMBUSTION PRODUCTS: Decomposition products may include the following materials: Carbon oxides FIRE FIGHTING EQUIPMENT : Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator and protective clothing.

FIRE FIGHTING PROCEDURES : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

OTHER CONSIDERATIONS: Never use welding or cutting torch on or near drum (even empty) because product the product and product residue can ignite explosively.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Ensure adequate ventilation. Keep people away from and upwind of spiil/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. **METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks).

METHODS AND MATERIALS FOR CONTAINMENT AND CLEARING OF: Eliminate all ignition sources (hares, hames including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. If run off occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal. Per good environmental management practices, prevent run-off to sewers, streams and other bodies of water. Stop spill at the source. Cover sewer grates and dike the spill. Absorb spilled material on to absorbents. Shovel materials into container. Close container tightly and dispose of properly. **ENVIRONMENTAL PRECAUTIONS:** Do not allow contact with soil, surface or ground water.

7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

GENERAL PROCEDURES: Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. All five-gallon pails and larger metal containers, including tank cars and tank trucks, should be grounded and/or bonded when material is transferred. Warning . Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into vacuum equipment, may result in ignitions without the presence of obvious ignition sources. Published "auto-ignition "or "ignition "temperature values cannot be of the actual process conditions. Any use of this product in elevated temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

INGREDIENTS WITH WORKPLACE CONTROL PARAMETERS

Hazardous Components	CAS Number	Form of Exposure	Permissible Concentration	
ethonal	64-17-5	Ceiling	1000ppm	

OSHA TABLE COMMENTS: NL = Not Listed

ENGINEERING CONTROLS: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative

SKIN: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

RESPIRATORY: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Liquid/Gel

WORK HYGIENIC PRACTICES: Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

OTHER USE PRECAUTIONS: Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: COLOR: ODOR: pH: FLASH POINT: ODOR THRESHOLD: MELTING POINT/FREEZING POINT: BOILING POINT: EVAPORATION RATE: FLAMMABILITY (SOLID, GAS): UPPER EXPLOSION LIMIT: SPECIFIC GRAVITY: LOWER EXPLOSION LIMIT: VAPOR PRESSURE: RELATIVE VAPOR DENSITY: RELATIVE DENSITY: WATER SOLUBILITY: SOLUBIILITY IN OTHER SOLVENTS: PARTITION COEFFICIENT: N-OCTANOLI/WATER: AUTOIGNITION TEMPERATURE: THERMAL DECOMPOSITION: VISCOSITY, KINEMATIC: EXPLOSIVE PROPERTIES: OXIDIZING PROPERTIES: MOLECULAR WEIGHT: VOC:

Clear Slight Ethanol 6.5-8.5 70°F (Open Cup) No Data Available No Data Available <212°F (Water=1):>1 (faster than water) No Data Ávailable No Data Available (H₂O=1): 86 at 68°F No Data Available (mm Hg): 33 at 68°F (Air=1):>1 (heavier than air) No Data Available 100% No Data Available No Data Available

10. STABILITY AND REACTIVITY

STABILITY : HAZARDOUS POLYMERIZATION : Stable Will NOT Occur CONDITIONS TO AVOID : POLYMERIZATION : HAZARDOUS DECOMPOSITION PRODUCTS: INCOMPATIBLE MATERIALS: Avoid contact with open flame, ignition sources, and poor ventilation. Will NOT Occur CO, CO2 Avoid contact with: acetaldehyde, acids, chlorine, ethylene oxide, isocyanides, strong oxidizing agents. Do not use with aluminum equipment at temperatures above 120 degrees Fahrenheit.

Inhalation, Ingestion, Eye contact, Skin contact.

Irritation of the gastrointestinal and digestive tract.

Health injuries are not known or expected under normal use.

May cause nose, throat, and lung irritation

Acute toxicity estimate: > 5,000 mg/kg No Data Available

Causes serious eye irritation.

Redness, Pain, Irritation

Irritation, Abdominal pain Respiratory Irritation, Cough

No skin irritation

No Data Available

No Data Available

No Data Available No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

No Data Available

May cause mild skin irritation.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

POTENTIAL HEALTH EFFECTS:

EYES: SKIN: INGESTION: INHALATION: CHRONIC EXPOSURE:

EXPERIENCE WITH HUMAN EXPOSURE:

EYE CONTACT: SKIN CONTACT: INGESTION: INHALATION:

TOXICITY

ACUTE ORAL TOXICITY: ACUTE ORAL TOXICITY: ACUTE INHALATION TOXICITY: SKIN CORROSION/IRRITATION: SERIOUS EYE DAMAGE/EYE IRRITATION: RESPIRATORY OR SKIN SENSITIZATION: CARCINOGENICITY: REPRODUCTIVE EFFECTS: GERM CELL MUTAGENICITY: TERATOGENICITY: STOT-SINGLE EXPOSURE: STOT-REPEATED EXPOSURE: ASPIRATION TOXICITY: GENERAL COMMENTS:

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This product has no known ecotoxicological effects. Non Identified

PRODUCT

 TOXICITY TO FISH:
 LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h

 TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES:
 EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h

 TOXICITY TO ALGAE:
 EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

 INGREDIENTS
 TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES: Isopropyl alcohol

 PERSISTENCE AND DEGRADABILITY:
 No Data Available

 BIOACCUMULATIVE POTENTIAL:
 No Data Available

 MoBILITY IN SOIL:
 No Data Available

OTHER ADVERSE EFFECTS: No Data Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations. EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water. RCRA/EPA WASTE INFORMATION: N/A

14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

LAND TRANSPORT: PACKAGE SIZE: 1-Quart or Less DOT DESCRIPTION: Compounds, Cleaning Liquid DOT LABEL: None DOT PLACARD: None PACKAGE SIZE: 1-Gallon or Larger UN NUMBER: UN 1170 UN PROPER SHIPPING NAME : Flammable liquids, n.o.s. (contains Ethyl Alcohol Solution). TRANSPORT HAZARD CLASS: Flammable 3 TRANSPORT HAZARD SUBCLASS: N/A PACKING GROUP: PG II [ERG#128] (Contains Ethyl Alcoholl) DOT LABEL: Flammable 3 DOT PLACARD: Flammable 3 (1001 Lbs. or More) MARINE POLLUTANT Y/N: No

SEA TRANSPORT (IMDG/IMO):

PACKAGE SIZE: 1-Quart or Less DOT DESCRIPTION: Compounds, Cleaning Liquid DOT LABEL: None DOT PLACARD: None PACKAGE SIZE: 1-Gallon or Larger UN NUMBER: UN 1170 UN PROPER SHIPPING NAME : Flammable liquids, n.o.s. (contains Ethyl Alcohol Solution). TRANSPORT HAZARD CLASS: Flammable 3 TRANSPORT HAZARD SUBCLASS: N/A PACKING GROUP: PG II [ERG#128] (Contains Ethyl Alcoholl) DOT LABEL: Flammable 3 DOT PLACARD: Flammable 3 (1001 Lbs. or More) MARINE POLLUTANT Y/N: No

15. REGULATORY INFORMATION

EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY

Hazardous Components	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
ethonal	64-17-5	1,000	22,222

UNITED STATES:

UNITED STATES: SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT) SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY: This material does not contain any components with a section 304 EHS RQ. SARA 311/312 Hazards: Fire Hazard, Acute Health Hazard

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
 SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
 CALIFORNIA PROP 65: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION					
NFPA HMIS	Health Hazards: 2 Health Hazards: 2	Flammability: 3 Flammability: 3	Instability: 0 Physical Hazards: 0	Special: N/A	
Revision Date <u>Reasons For F</u>		Available			
MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations					

contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use. ---- End of Safety Data Sheet ----