

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form : Mixture Product name : Cherry Bowl Product code 360

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Bowl Cleaner

Details of the supplier of the safety data sheet 1.3.

Val-U-Chem Inc. 2219 E. University Dr. Phoenix, AZ 85034 - USA

T 602-957-2808 - F 602-957-2980

Emergency telephone number

Emergency number : 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS US classification

Skin Corr 1B H314 Eye Dam. 1 H318 STOT SE 3 H335

Full text of H statements: see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms





GHS05

GHS07

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

> Causes serious eye damage. May cause respiratory irritation.

Precautionary statements : Do not breathe fume, mist, vapors.

Wash hands and forearms thoroughly after handling.

Wear eye protection, face protection, protective clothing, protective gloves.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

Hazard not otherwise classified (HNOC) 2.3.

No additional information available.

Unknown acute toxicity (GHS US)

No data available

Product Code:360 EN (English US) Page 1 of 7

Safety Data Sheet

SECTION 3: Composition/Information on ingredients

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

3.2. **Mixture**

Name	Product identifier	%	GHS US classification
hydrochloric acid	(CAS-No.) 7647-01-0	20 - 25	Skin Corr. 1B, H314 STOT SE 3, H335
alcohols, C9-11, ethoxylated	(CAS-No.) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately First-aid measures after inhalation

call a poison center or doctor/physician.

First-aid measures after skin contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a poison center or doctor/physician.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. Symptoms/effects after inhalation : Corrosion of the upper respiratory tract. Symptoms/effects after skin contact : Causes burns/corrosion of the skin. : Causes serious eye damage.

: Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the Symptoms/effects after ingestion

gastric/intestinal mucosa. Abdominal pain. Gastrointestinal complaints.

Indication of any immediate medical attention and special treatment needed

No additional information available.

Symptoms/effects after eye contact

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

: Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) Reactivity

oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some)

metals: release of highly flammable gases/vapors (hydrogen).

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

: No additional information available. Other information

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

EN (English US) Product Code:360 Page 2 of 7

Safety Data Sheet

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.
Protective clothing.
Respiratory protection.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If

reacting: dilute toxic gas/vapor with water spray.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Neutralize small quantities of the liquid spill with lime, sodium bicarbonate, soda (sodium carbonate) or soda ash. Wash down leftovers with plenty of

water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe fume, mist, vapors. Ensure good

ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use

personal protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Strong bases. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrochloric acid (7647-01-0)		
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	7 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	5 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Product Code:360 EN (English US) Page 3 of 7

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : White Emulsion

Odor : Cherry

Odor threshold : No data available

pH : <1

Melting point : No data available Freezing point : No data available

Boiling point : > 212 °F

Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Explosion limits : No data available
Vapor pressure : No data available
Vapor density : No data available

Specific Gravity @ 77° F : 1.113 - 1.123
Solubility : Soluble in water
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 1 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some) metals: release of highly flammable gases/vapors (hydrogen).

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and bases. Contact with base liberates toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. Oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Thermal decomposition generates : Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
ATE US (oral)	1378 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: < 1
Serious eye damage/irritation	: Causes serious eye damage. pH: < 1

Product Code:360 EN (English US) Page **4** of **7**

Safety Data Sheet

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met.

Carcinogenicity : Not classified

hydrochloric acid (7647-01-0)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met.

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Corrosion of the upper respiratory tract.

Symptoms/effects after skin contact : Causes burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the

gastric/intestinal mucosa. Abdominal pain. Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

hydrochloric acid (7647-01-0)		
LC50 fish 1	282 mg/l (96 h; Gambusia affinis; Pure substance)	
EC50 Daphnia 1	< 56 mg/l (72 h; Daphnia magna; Pure substance)	
LC50 fish 2	862 mg/l (Leuciscus idus; Pure substance)	
TLM fish 1	fish 1 282 ppm (96 h; Gambusia affinis; Pure substance)	
alcohols, C9-11, ethoxylated (68439-46-3)		
LC50 fish 1	5.7 mg/l (Rainbow trout)	
EC50 Daphnia 1	2.5 mg/l	

12.2. Persistence and degradability

hydrochloric acid (7647-01-0)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
alcohols, C9-11, ethoxylated (68439-46-3)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

hydrochloric acid (7647-01-0)		
Log Pow	0.3	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
alcohols, C9-11, ethoxylated (68439-46-3)		
Bioaccumulative potential	No bioaccumulation data available.	

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

Product Code:360 EN (English US) Page 5 of 7

Safety Data Sheet

UN-No.(DOT) : UN3264

Other information : Under 49 CFR 173.154(c) and (b)(1): This product may be shipped as ORM-D or Limited

Quantity if the inner packagings do not exceed 1 L (0.3 gallons) or 1.0 kg (2.2 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of

transportation is impracticable.

14.2. UN proper shipping name

Proper Shipping Name (DOT) : UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid), 8, PGII

Hazard labels (DOT) : 8 - Corrosive



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

methyl cinnamate	CAS-No. 103-26-4	< 0.1%

hydrochloric acid (7647-01-0)		
Listed on the United States TSCA (Toxic Substar Not subject to reporting requirements of the Unite Subject to reporting requirements of United State Listed on the Canadian DSL (Domestic Substanc Listed on EPA Hazardous Air Pollutant (HAPS)	ed States SARA Section 313. es SARA Section 313.	
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists):	5000 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	1 %	
alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List).		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

hydrochloric acid (7647-01-0)

Listed on the Canadian DSL (Domestic Substances List).

alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List).

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

hydrochloric acid (7647-01-0)

Listed on EPA Hazardous Air Pollutant (HAPS)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

Product Code:360 EN (English US) Page 6 of 7

Cherry BowlSafety Data Sheet

SECTION 16: Other information

Abbreviations Legend:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Disclaimer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision date: 04/23/2019 Supersedes: 01/27/2012 Version: 1.1

Page **7** of **7** Product Code:360 EN (English US)