



Issue date 28-Sep-2022

Safety Data Sheet

Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON LEMON FURNITURE POLISH
Chemical name 7-7937-3

Other means of identification

Product code FG438-5136-11
Synonyms Furniture Polish

Recommended use of the chemical and restrictions on use

Recommended Use Wood cleaner and protectant.
Uses advised against DO NOT USE ON FLOORS

Details of the supplier of the safety data sheet

| | |
|-------------------------|-----------------------------|
| Supplier Address | Manufacturer Address |
| Chase Products Co. | Chase Products Co. |
| 2727 Gardner Road | 2727 Gardner Road |
| Broadview, IL 60155 | Broadview, IL 60155 |
| 708-865-1000 | 708-865-1000 |

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

| | |
|-------------------------------------|---------------|
| Acute toxicity - Inhalation (Gases) | Category 4 |
| Aspiration toxicity | Category 1 |
| FLAMMABLE AEROSOLS | Category 2 |
| Gases Under Pressure | liquefied gas |

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

HARMFUL IF INHALED
May be fatal if swallowed and enters airways
Flammable Aerosol
Contains gas under pressure; may explode if heated



Appearance White, creamy emulsion.**Physical State** Aerosol**Odor** Lemon**Precautionary Statements - Prevention**

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other Information**

• Toxic to aquatic life with long lasting effects

• Harmful to aquatic life

-

3. Composition/information on Ingredients**Synonyms**

Furniture Polish.

Chemical Family

MIXTURES.

Formula

7-7937-3

| Chemical name | CAS No | weight-% | Trade secret |
|-------------------------------------|------------|----------|--------------|
| Water | 7732-18-5 | 70-75 | * |
| Isoparaffinic Hydrocarbon | 64742-47-8 | 5-10 | * |
| Propane | 74-98-6 | 1-5 | * |
| n-butane | 106-97-8 | 1-5 | * |
| Naphtha (petroleum), light alkylate | 64741-66-8 | 1-5 | * |

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures**FIRST AID MEASURES****Eye Contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

In case of contact, immediately flush skin with plenty of water. Wash skin with soap and water. If irritation develops, consult a physician.

Inhalation

If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Ingestion Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates. Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration pneumonia hazard.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO₂ or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use with adequate general or local exhaust ventilation.

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.
AEROSOL STORAGE LEVEL I (NFPA-30B) .

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------|--|--|--|
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content, explosion hazard | TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ |
| n-butane 106-97-8 | STEL: 1000 ppm explosion hazard | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m ³ |

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves.

Respiratory protection None required if used in a well-ventilated area .

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

| | | | |
|-----------------------|-------------------------|-----------------------|--------------------------|
| Physical State | Aerosol | Odor | Lemon |
| Appearance | White, creamy emulsion. | Odor threshold | No information available |
| Color | White | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------------|--|--------------------------|
| pH | Not applicable | Water-oil emulsion. |
| Melting point/freezing point | Not applicable | No information available |
| Boiling point/boiling range | Water 212 °F/100 °C | No information available |
| Flash Point | Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 °F may cause cans to burst. Faster than butyl acetate | No information available |
| Evaporation Rate | | No information available |
| Flammability (solid, gas) | | No information available |
| Flammability Limits in Air | | No information available |
| Upper flammability limits | Not available | |
| Lower Flammability Limit | Not available | |
| Vapor pressure | | No information available |
| Vapor Density | | No information available |
| Relative Density | 0.93 to 0.95 g/ml concentrate | No information available |
| Water solubility | Insoluble in water | No information available |

| | |
|-------------------------------------|--------------------------|
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition Temperature | No information available |
| Decomposition temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |

Other Information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC content (%) | 11.66% |
| Density | 7.83 lb/gal |
| Bulk Density | No information available |

10. Stability and Reactivity**Reactivity**

Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information**Information on likely routes of exposure**

Product Information This product has not been tested as whole. See below for information on ingredients.

Inhalation See data below.

Eye Contact Not data available.

Skin contact See data below.

Ingestion See data below.

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|---|----------------------|-------------------------|------------------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Isoparaffinic Hydrocarbon 64742-47-8 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat) 4 h |
| Propane 74-98-6 | - | - | > 800000 ppm (Rat) 15 min |
| n-butane | - | - | = 658 g/m ³ (Rat) 4 h |

FG438-5136-11 CHAMPION SPRAYON LEMON FURNITURE POLISH

| | | | |
|---|----------------------|-------------------------|-------------------------|
| 106-97-8 | | | |
| Naphtha (petroleum), light alkylate 64741-66-8 | > 7000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 6.31 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause irritation after prolonged contact with skin.
Serious eye damage/eye irritation Irritating to eyes.
irritation May cause skin and eye irritation.
corrosivity Not applicable.
sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity -
The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 35844 mg/kg
ATEmix (dermal) 11099 mg/kg
ATEmix (inhalation-gas) 17560 mg/l
ATEmix (inhalation-dust/mist) 3.2 mg/l
ATEmix (inhalation-vapor) 37 mg/l

12. Ecological Information

ecotoxicity

See information listed below.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|---|---|---|----------------------------|------------------------------------|
| Isoparaffinic Hydrocarbon 64742-47-8 | | 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through | | |
| Naphtha (petroleum), light alkylate 64741-66-8 | 30000: 72 h Pseudokirchneriella subcapitata mg/L EC50 | | | 2: 48 h Mysidopsis bahia mg/L LC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|---------------|-----------------------|
|---------------|-----------------------|

FG438-5136-11 CHAMPION SPRAYON LEMON FURNITURE POLISH

| | |
|----------------------|------|
| Propane 74-98-6 | 2.3 |
| n-butane 106-97-8 | 2.89 |

Other adverse effects No information available

13. Disposal Considerations**Waste treatment methods**

Disposal of wastes Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

14. Transport Information**DOT**

| | |
|-----------------------------|--------------------|
| UN/ID no | Limited Quantity |
| Proper Shipping Name | Consumer Commodity |
| Hazard Class | NA |

IATA

| | |
|-----------------------------|---------------------|
| UN/ID no | UN1950 |
| Proper Shipping Name | Aerosols, flammable |
| Hazard Class | 2.1 |

IMDG

| | |
|-----------------------------|---------------------|
| UN/ID no | UN1950 |
| Proper Shipping Name | Aerosols, flammable |
| Hazard Class | 2.1 |

15. Regulatory information**International Inventories**

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - *United States Toxic Substances Control Act Section 8(b) Inventory*

DSL/NDL - *Canadian Domestic Substances List/Non-Domestic Substances List*

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals (above the de-minimis level) which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | yes |
| Chronic Health Hazard | No |
| Fire Hazard | yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|----------------------|------------|---------------|--------------|
| Water 7732-18-5 | | | X |
| Propane 74-98-6 | X | X | X |
| n-butane 106-97-8 | X | X | X |

U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information

| | | | | |
|-------------|------------------|----------------|--------------------|--|
| NFPA | Health Hazards 1 | Flammability 1 | Instability 1 | Physical and chemical properties Not applicable |
| HMIS | Health Hazards 1 | Flammability 2 | Physical hazards 1 | Personal Protection B - Eyes and hands protection |

Prepared by Regulatory Department
 Issue date 28-Sep-2022
 Revision note
 This SDS supersedes a previous SDS dated: 01-Dec-2020

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet